

CASALE COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042121 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ANTI-SLIP CASALE COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042367 120X120 8,80 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C Class 3

Slip resistance (R) EN 16165-B R11









CASALE COTTO RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042127 60x120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ANTI-SLIP CASALE COTTO RECT 60X120

REFERENCE

SIZE (cm)

THICKNESS (mm)

GROUP

A042370

60x120

0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C Class 3

Slip resistance (R) EN 16165-B R11









CASALE COTTO RECT 90X90

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042438 90X90 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042133 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042376 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042379 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042373 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO COTTO RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042382 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042398 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042401 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042395 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042404 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PALANZO COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042407 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









SERENO COTTO RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042410 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









true tiles

NESSO COTTO MIX RECT 20X20

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042417 20X20 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042124 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ANTI-SLIP CASALE ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm)

8,80

GROUP

A042368 120X120 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

UNE-EN 16165-C Slip resistance (Rd) Class 3

R11 Slip resistance (R) EN 16165-B









CASALE ECRU RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042130 60x120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ANTI-SLIP CASALE ECRU RECT 60X120

REFERENCE

SIZE (cm)

THICKNESS (mm)

0,00

GROUP

A042371

60x120

PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C Class 3

Slip resistance (R) EN 16165-B R11









CASALE ECRU RECT 90X90

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042439 90X90 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042136 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042378 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042381 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042375 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO ECRU RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042384 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042400 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042403 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042397 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042406 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PALANZO ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042409 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









SERENO ECRU RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042412 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









true tiles

NESSO ECRU MIX RECT 20X20

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042418 20X20 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE CENERE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042125 120X120 8,80 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ANTI-SLIP CASALE CENERE RECT 120X120

REFERENCE SIZE (cm)

THICKNESS (mm)

8,80

GROUP

A042369 120X120

PC BIA GL



It stands the test

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C Class 3

Slip resistance (R) EN 16165-B R11









CASALE CENERE RECT 60X120

REFERENCE THICKNESS (mm) GROUP SIZE (cm)

A042131 PC BIA GL 60x120 8,90



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12 Frost resistance It stands the test









ANTI-SLIP CASALE CENERE RECT 60X120

REFERENCE

SIZE (cm)

THICKNESS (mm)

0,00

GROUP

A042372

60x120

PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C Class 3

Slip resistance (R) EN 16165-B R11









CASALE CENERE RECT 90X90

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042437 90X90 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042137 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO CENERE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042377 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA CENERE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042380 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA CENERE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042374 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO CENERE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042383 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BROLIO CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042399 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PIENZA CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042402 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ORCIA CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042396 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









GALGANO CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042405 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









PALANZO CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042408 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









SERENO CENERE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042411 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









true tiles

NESSO CENERE MIX RECT 20X20

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042416 20X20 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE GRAFITE RECT 120X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042204 120X120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE GRAFITE RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042203 60x120 8,90 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE GRAFITE RECT 90X90

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042440 90X90 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









CASALE GRAFITE RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A042210 60X60 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test





